

1. ID code of the product type: LastrikCT70
 2. ID No: Printed on the product label
 3. Intended use:
 Windows in domestic and commercial locations
 4. Manufacturer:
 Fabryka Okien i Drzwi PCV LASTRIK Sp. z o.o. ul.Słowiańska 11F, 75-844 Koszalin, Poland
 5. System of assessment and verification of constancy of performance (AVCP) :
 System 3
 6. Notified body:
 Instytut Techniki Budowlanej NB 1488
 IFT ROSENHEIM NB 0757
 7. Essential characteristics:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind loads	C	EN 14351-1:2006+A1:2010
Watertightness	6	
Air permeability	4	
Dangerous substances	None	
Load bearing capacity of safety devices	Metted	
Acoustic performance	npd*	
Thermal transmittance Uw (W/m2K)	1,4**	
	1,1***	
	1,0****	

*Depending on used glass,more information in the offer

**Thermal transmittance Uw for reference 1-sash window 1230 x 1480 mm with glass Ug=1,1 w/m2K

***Thermal transmittance Uw for reference 1-sash window 1230 x 1480 mm with glass Ug=0,7 w/m2K

****Thermal transmittance Uw for reference 1-sash window 1230 x 1480 mm with glass Ug=0,5 w/m2K

Precise value of Thermal transmittance for each window to find in the offer.

8. The performance of the product identified in points 1 and 2 conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for on and behalf of the manufacturer by:

Robert Zwierzchoniowski
Prezes



FABRYKA OKIEN I DRZWI PCV
LASTRIK Sp. z o.o.
 75-844 KOSZALIN, ul. Słowiańska 11F
 tel. 342 62 22, 342 62 26, 340 72 87
 340 71 64, fax 340 28 14
 KRS 0000484452. NIP 6692520278

Koszalin, 05.11.2013