

1. ID code of the product type: LastrikS150
2. ID No: Printed on the product label
3. Intended use:
Windows in domestic and commercial locations
4. Manufacturer:
Fabryka Okien i Drzwi PCV LASTRIK Sp. z o.o. ul.Słowiańska 11F, 75-844 Koszalin, Poland
5. System of assessment and verification of constancy of performance (AVCP) :
System 3
6. Notified body:
IFT ROSENHEIM NB 0757
SKG NB 0960
7. Essential characteristics:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind loads	3C	EN 14351-1:2006+A1:2010
Watertightness	9A	
Air permeability	3	
Dangerous substances	None	
Load bearing capacity of safety devices	Meeted	
Acoustic performance	npd*	
Thermal transmittance Uw (W/m2K)	1,5**	
	1,2***	

*Depending on used glass,more information in the offer

**Thermal transmittance Uw for window with glass Ug=1,1 w/m2K

***Thermal transmittance Uw for window with glass Ug=0,7 w/m2K


Precise value of Thermal transmittance for each window to find in the offer.

8. The performance of the product identified in points 1 and 2 conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for on and behalf of the manufacturer by:

Robert Zwierzchonieński
Prezes



FABRYKA OKIEN I DRZWI PCV
LASTRIK Sp. z o.o.
75-844 KOSZALIN, ul. Słowiańska 11F
tel. 342 62 22, 342 62 26, 340 72 87
340 71 64, fax 340 28 14
KRS 0000484452. NIP 6692520278

Koszalin, 26.05.2014